InkSonics®
THE ART OF SOUND


AN INKSONICS® COLLECTION · 12 DESIGNS


Plaster


Applied finishes rather than drawn ones. Trowel is the blade: overlapping passes, each thin where it lifted and loaded where it bit, with the edge of the last pass showing through. Wash is water — limewash settling into bands, tadelakt burnished to a bloom, the salt and oxide that come up through a wall over years. Concrete is what the formwork left behind. Drawn large, because plaster has no repeat of its own: at the recommended repeat a wall reads as one surface, not as a pattern.


Trowel	4
Wash	4
Concrete	4



Skim


Venetian



Float



Burnish



Limewash


Tadelakt



Patina


Efflorescence


Formed


Spall


Screed


Shutter



INKSONICS® · PLASTER · TROWEL

Skim

PL-SKM · 52.0 in standard repeat · scalable 2–52.0 in

InkSonics®
THE ART OF SOUND

Chalk on slate shown

Skim

PL-SKM

COLOURWAYS



Chalk on slate

EDEDEA / 46525A



Oxide on oak

8A4B2A / E9E2D5



Plum on stone

7E2A5B / D9D4CA



Charcoal felt

2E312E / DCDCD6



Olive and terracotta


64703F / F4F1EC



Teal on sand

1F6F73 / E6D8BE

ON THE WALL · 12 FT WIDE, STANDARD REPEAT




Shown at the standard 52.0 in repeat on 52 in Type II drops, exactly 1 repeats to a drop. Set any repeat from 2 to 52.0 in in the Studio.

Repeat	52.0 × 52.0 in, scalable
Tones	4, from ink, ground and accent

Wallcovering spec · WCV-PL-SKM-52.0X52.0IN-W2.4-EDEDEA-46525A

Samples · samples@inksonics.com
844-307-9571

Scalable and colour-definable
in the Ink-Tuitive® Studio
www.ink-tuitive.com



INKSONICS® · PLASTER · TROWEL

Venetian

PL-VEN · 52.0 in standard repeat · scalable 2–52.0 in

InkSonics®
THE ART OF SOUND

Charcoal felt shown

Venetian

PL-VEN


COLOURWAYS



Charcoal felt
2E312E / DCDCD6



Olive and terracotta
64703F / F4F1EC



Teal on sand
1F6F73 / E6D8BE



Slate water
3B4C5A / E4E8EA




Bone on ink
E7E4DC / 23262A



Chalk on slate
EDEDEA / 46525A

ON THE WALL · 12 FT WIDE, STANDARD REPEAT




Shown at the standard 52.0 in repeat on 52 in Type II drops, exactly 1 repeats to a drop. Set any repeat from 2 to 52.0 in in the Studio.

Repeat	52.0 × 52.0 in, scalable
Tones	3, from ink, ground and accent

Wallcovering spec · WCV-PL-VEN-52.0X52.0IN-W2.4-2E312E-DCDCD6

Samples · samples@inksonics.com
844-307-9571

Scalable and colour-definable
in the Ink-Tuitive® Studio
www.ink-tuitive.com



INKSONICS® · PLASTER · TROWEL

Float

PL-FLT · 44.0 in standard repeat · scalable 2–52.0 in

InkSonics®
THE ART OF SOUND

Slate water shown


Float

PL-FLT

COLOURWAYS



Slate water
3B4C5A / E4E8EA




Bone on ink
E7E4DC / 23262A




Chalk on slate
EDEDEA / 46525A



Oxide on oak
8A4B2A / E9E2D5




Plum on stone
7E2A5B / D9D4CA



Charcoal felt
2E312E / DCDCD6

ON THE WALL · 12 FT WIDE, STANDARD REPEAT



Shown at the standard 44.0 in repeat on 52 in Type II drops, 1.18 repeats to a drop. Set any repeat from 2 to 52.0 in in the Studio.

Repeat	44.0 × 44.0 in, scalable
Tones	4, from ink, ground and accent

Wallcovering spec · WCV-PL-FLT-44.0X44.0IN-W2.4-3B4C5A-E4E8EA

Samples · samples@inksonics.com
844-307-9571

Scalable and colour-definable
in the Ink-Tuitive® Studio
www.ink-tuitive.com



INKSONICS® · PLASTER · TROWEL

Burnish

PL-BUR · 44.0 in standard repeat · scalable 2–52.0 in


InkSonics®
THE ART OF SOUND

Oxide on oak shown

Burnish

PL-BUR

COLOURWAYS




Oxide on oak
8A4B2A / E9E2D5




Plum on stone
7E2A5B / D9D4CA



Charcoal felt
2E312E / DCDCD6



Olive and terracotta
64703F / F4F1EC




Teal on sand
1F6F73 / E6D8BE



Slate water
3B4C5A / E4E8EA

ON THE WALL · 12 FT WIDE, STANDARD REPEAT



Shown at the standard 44.0 in repeat on 52 in Type II drops, 1.18 repeats to a drop. Set any repeat from 2 to 52.0 in in the Studio.

Repeat	44.0 × 44.0 in, scalable
Tones	3, from ink, ground and accent

Wallcovering spec · WCV-PL-BUR-44.0X44.0IN-W2.4-8A4B2A-E9E2D5

Samples · samples@inksonics.com
844-307-9571

Scalable and colour-definable
in the Ink-Tuitive® Studio
www.ink-tuitive.com



INKSONICS® · PLASTER · WASH

Limewash

PL-LIM · 52.0 in standard repeat · scalable 2–52.0 in

InkSonics®
THE ART OF SOUND

Olive and terracotta shown


Limewash

PL-LIM


COLOURWAYS



Olive and terracotta
64703F / F4F1EC



Teal on sand
1F6F73 / E6D8BE



Slate water
3B4C5A / E4E8EA



Bone on ink
E7E4DC / 23262A




Chalk on slate
EDEDEA / 46525A



Oxide on oak
8A4B2A / E9E2D5

ON THE WALL · 12 FT WIDE, STANDARD REPEAT



Shown at the standard 52.0 in repeat on 52 in Type II drops, exactly 1 repeats to a drop. Set any repeat from 2 to 52.0 in in the Studio.

Repeat	52.0 × 39.0 in, scalable
Tones	4, from ink, ground and accent

Wallcovering spec · WCV-PL-LIM-52.0X39.0IN-W2.4-64703F-F4F1EC

Samples · samples@inksonics.com
844-307-9571

Scalable and colour-definable
in the Ink-Tuitive® Studio
www.ink-tuitive.com



INKSONICS® · PLASTER · WASH

Tadelakt

PL-TAD · 44.0 in standard repeat · scalable 2–52.0 in

InkSonics®
THE ART OF SOUND

Bone on ink shown

Tadelakt

PL-TAD

COLOURWAYS



Bone on ink

E7E4DC / 23262A




Chalk on slate

EDEDEA / 46525A




Oxide on oak

8A4B2A / E9E2D5




Plum on stone

7E2A5B / D9D4CA



Charcoal felt


2E312E / DCDCD6



Olive and terracotta

64703F / F4F1EC

ON THE WALL · 12 FT WIDE, STANDARD REPEAT




Shown at the standard 44.0 in repeat on 52 in Type II drops, 1.18 repeats to a drop. Set any repeat from 2 to 52.0 in in the Studio.

Repeat	44.0 × 44.0 in, scalable
Tones	4, from ink, ground and accent

Wallcovering spec · WCV-PL-TAD-44.0X44.0IN-W2.4-E7E4DC-23262A

Samples · samples@inksonics.com
844-307-9571

Scalable and colour-definable
in the Ink-Tuitive® Studio
www.ink-tuitive.com



INKSONICS® · PLASTER · WASH

Patina

PL-PAT · 44.0 in standard repeat · scalable 2–52.0 in

InkSonics®
THE ART OF SOUND

Plum on stone shown

Patina

PL-PAT

COLOURWAYS




Plum on stone
7E2A5B / D9D4CA



Charcoal felt
2E312E / DCDCD6




Olive and terracotta
64703F / F4F1EC



Teal on sand
1F6F73 / E6D8BE




Slate water
3B4C5A / E4E8EA



Bone on ink
E7E4DC / 23262A

ON THE WALL · 12 FT WIDE, STANDARD REPEAT



Shown at the standard 44.0 in repeat on 52 in Type II drops, 1.18 repeats to a drop. Set any repeat from 2 to 52.0 in in the Studio.

Repeat	44.0 × 44.0 in, scalable
Tones	7, from ink, ground and accent

Wallcovering spec · WCV-PL-PAT-44.0X44.0IN-W2.4-7E2A5B-D9D4CA

Samples · samples@inksonics.com
844-307-9571

Scalable and colour-definable
in the Ink-Tuitive® Studio
www.ink-tuitive.com



INKSONICS® · PLASTER · WASH

Efflorescence

PL-EFF · 44.0 in standard repeat · scalable 2–52.0 in

InkSonics®
THE ART OF SOUND

Teal on sand shown

Efflorescence

PL-EFF


COLOURWAYS




Teal on sand
1F6F73 / E6D8BE




Slate water
3B4C5A / E4E8EA




Bone on ink
E7E4DC / 23262A



Chalk on slate
EDEDEA / 46525A




Oxide on oak
8A4B2A / E9E2D5



Plum on stone
7E2A5B / D9D4CA

ON THE WALL · 12 FT WIDE, STANDARD REPEAT




Shown at the standard 44.0 in repeat on 52 in Type II drops, 1.18 repeats to a drop. Set any repeat from 2 to 52.0 in in the Studio.

Repeat	44.0 × 40.5 in, scalable
Tones	2, from ink, ground and accent

Wallcovering spec · WCV-PL-EFF-44.0X40.5IN-W2.4-1F6F73-E6D8BE

Samples · samples@inksonics.com
844-307-9571

Scalable and colour-definable
in the Ink-Tuitive® Studio
www.ink-tuitive.com



INKSONICS® · PLASTER · CONCRETE

Formed

PL-FRM · 52.0 in standard repeat · scalable 2–52.0 in

InkSonics®
THE ART OF SOUND

Chalk on slate shown

Formed

PL-FRM

COLOURWAYS




Chalk on slate

EDEDEA / 46525A




Oxide on oak

8A4B2A / E9E2D5




Plum on stone

7E2A5B / D9D4CA




Charcoal felt

2E312E / DCDCD6



Olive and terracotta


64703F / F4F1EC



Teal on sand

1F6F73 / E6D8BE

ON THE WALL · 12 FT WIDE, STANDARD REPEAT




Shown at the standard 52.0 in repeat on 52 in Type II drops, exactly 1 repeats to a drop. Set any repeat from 2 to 52.0 in in the Studio.

Repeat	52.0 × 56.3 in, scalable
Tones	6, from ink, ground and accent

Wallcovering spec · WCV-PL-FRM-52.0X56.3IN-W2.4-EDEDEA-46525A

Samples · samples@inksonics.com
844-307-9571

Scalable and colour-definable
in the Ink-Tuitive® Studio
www.ink-tuitive.com



INKSONICS® · PLASTER · CONCRETE

Spall

PL-SPL · 44.0 in standard repeat · scalable 2–52.0 in


InkSonics®
THE ART OF SOUND

Charcoal felt shown

Spall

PL-SPL


COLOURWAYS



Charcoal felt
2E312E / DCDCD6




Olive and terracotta
64703F / F4F1EC




Teal on sand
1F6F73 / E6D8BE



Slate water
3B4C5A / E4E8EA




Bone on ink
E7E4DC / 23262A



Chalk on slate
EDEDEA / 46525A

ON THE WALL · 12 FT WIDE, STANDARD REPEAT




Shown at the standard 44.0 in repeat on 52 in Type II drops, 1.18 repeats to a drop. Set any repeat from 2 to 52.0 in in the Studio.

Repeat	44.0 × 44.0 in, scalable
Tones	4, from ink, ground and accent

Wallcovering spec · WCV-PL-SPL-44.0X44.0IN-W2.4-2E312E-DCDCD6

Samples · samples@inksonics.com
844-307-9571

Scalable and colour-definable
in the Ink-Tuitive® Studio
www.ink-tuitive.com



INKSONICS® · PLASTER · CONCRETE

Screed

PL-SCR · 44.0 in standard repeat · scalable 2–52.0 in

InkSonics®
THE ART OF SOUND

Slate water shown

Screed

PL-SCR

COLOURWAYS



Slate water
3B4C5A / E4E8EA



Bone on ink
E7E4DC / 23262A



Chalk on slate
EDEDEA / 46525A



Oxide on oak
8A4B2A / E9E2D5




Plum on stone
7E2A5B / D9D4CA



Charcoal felt
2E312E / DCDCD6

ON THE WALL · 12 FT WIDE, STANDARD REPEAT




Shown at the standard 44.0 in repeat on 52 in Type II drops, 1.18 repeats to a drop. Set any repeat from 2 to 52.0 in in the Studio.

Repeat	44.0 × 44.0 in, scalable
Tones	5, from ink, ground and accent

Wallcovering spec · WCV-PL-SCR-44.0X44.0IN-W2.4-3B4C5A-E4E8EA

Samples · samples@inksonics.com
844-307-9571

Scalable and colour-definable
in the Ink-Tuitive® Studio
www.ink-tuitive.com



INKSONICS® · PLASTER · CONCRETE

Shutter

PL-SHT · 52.0 in standard repeat · scalable 2–52.0 in

InkSonics®
THE ART OF SOUND

Oxide on oak shown


Shutter

PL-SHT


COLOURWAYS




Oxide on oak
8A4B2A / E9E2D5




Plum on stone
7E2A5B / D9D4CA




Charcoal felt
2E312E / DCDCD6



Olive and terracotta
64703F / F4F1EC




Teal on sand
1F6F73 / E6D8BE



Slate water
3B4C5A / E4E8EA

ON THE WALL · 12 FT WIDE, STANDARD REPEAT



Shown at the standard 52.0 in repeat on 52 in Type II drops, exactly 1 repeats to a drop. Set any repeat from 2 to 52.0 in in the Studio.

Repeat	52.0 × 40.4 in, scalable
Tones	5, from ink, ground and accent

Wallcovering spec · WCV-PL-SHT-52.0X40.4IN-W2.4-8A4B2A-E9E2D5

Samples · samples@inksonics.com
844-307-9571

Scalable and colour-definable
in the Ink-Tuitive® Studio
www.ink-tuitive.com